



Introducing

Elemental XL
Luxury Vinyl Tile

Jacobsen[®]

Inspired flooring since 1962.

We're excited to announce the Jacobsen Elemental XL Range

Luxury vinyl plank flooring offers the look and texture of wood while being resistant to scratches and damage. With easy care and moisture resistance, it is perfect for busy households. You can enjoy the beauty, durability, and comfort without the high maintenance. It is an affordable and versatile choice that suits any home.



Why choose Jacobsen Elemental XL?

- Suitable for all residential and commercial applications
- Available in 10 contemporary colours
- Extra-large plank size 228.6mm x 1524mm
- All colours available in 2.5mm and 5.0mm thickness
- Specific planks for Chevron + Herringbone installations stocked in NZ in 2.5mm Bolsena only
- Indoor Air Comfort GOLD, EPD, Declare, and FloorScore certified
- 0.55mm heavy-duty wear layer
- Four-sided micro bevel edge
- Rigid core multi-click construction available on indent order
- In register surface embossing
- Glue down installation; can be installed in bathrooms and kitchens
- 15-year Commercial Limited + 20-year Residential warranties

Jacobsen Elemental XL

Luxury Vinyl Tile



Residential

Construction

The Elemental extra-large plank size 228.6mm x 1524mm is perfect throughout the home. All colours are available in 2.5mm and 5.0mm thickness with a 0.55mm heavy-duty wear layer.

Elemental is a glue down product and can be installed in bathrooms and kitchens as a NZBC alternative solution to the E3 code.



GLUE DOWN CONSTRUCTION

1. Duraspect™ Extreme Surface Protectant
2. Clear vinyl wear layer
3. High-resolution printed decorative film
4. Solid vinyl base

Install method

Jacobsen Elemental XL is a glue down floor, and is designed to be permanently fixed in place. Being a glue down floor, allows the Elemental XL to be thinner, which makes it ideal for renovation projects.

Product Benefits


There are many benefits to the Jacobsen Elemental XL range.

Thanks to the Duraspect™ Extreme Surface Protectant coating, the Elemental XL vinyl flooring is extremely scratch-resistant, stain resistant and easy to clean, and therefore ideal for intensively used rooms.

Elemental XL can be used with underfloor heating up to 27°C and is 100% waterproof, meaning Elemental XL is flooring made for life.

Designs

There are three designs available, the Extra wide plank that comes in ten colours, two thicknesses 2.5mm and 5mm. And the Chevron and Herringbone that is available in one colour.



Extra-wide Plank

Size (W*L*T): 28.6 x 1525 x 2.5mm

Wear Layer: 0.55mm

Size (W*L*T): 228.6 x 1525 x 5mm


Wear Layer: 0.50mm



Chevron

Size (W*L*T): 115 x 690 x 2.5mm

Wear Layer: 0.55mm



Herringbone

Size (W*L*T): 152.4 x 762 x 2.5mm

Wear Layer: 0.55mm





Easy to
Install

Elemental XL



Water
Resistant



E3 Alternative
Solution



Dent
Resistant



Easy to
Install




Pet
Friendly



27°C
Underfloor
Heating



Embossed
in Register



Phthalate
Free



Bevelled
Four Sides

Jacobsen Elemental XL

Luxury Vinyl Tile



Residential

Elemental XL — For Hard-working Spaces

Elemental XL offers the perfect blend of wood aesthetics and luxury vinyl advantages. Its extra-large plank format adds a touch of grandeur, while the in-register wood embossing and extra-matt surface create an authentic and elegant look.

With a hard-wearing finish and a scratch-resistant surface, Elemental XL ensures easy care and long-lasting beauty. It is suitable for underfloor heating and holds multiple environmental certifications, including EPD, Declare, Floorscore, and Eurofins Low VOC. Choose from four stunning designs: Elemental XL 2.5mm plank, Elemental 2.5mm Chevron, Elemental 2.5mm Herringbone, and Elemental XL 5.0mm plank. Enjoy seamless transitions and the highest standards of durability, style, and sustainability in kitchens and bathrooms.

Features & Benefits

- Extra-large plank format
- In-register wood embossing with an extra-matt surface
- Hard-wearing finish
- Scratch and dirt-resistant surface for easy care
- Suitable for underfloor heating
- Multiple environmental certifications such as EPD, Declare, Floorscore and Eurofins Low VOC
- Specific planks for Chevron or Herringbone design
- Glue down installation allows for subtle transitions
- Can be installed in kitchens
- Can be used in bathrooms in conjunction with a membrane
- NZ Building Code E3 alternative solution

Specifications

Range Name:	Elemental XL
Size (W*L*T):	2.5mm XL Plank: 228.6 x 1525 x 2.5mm Chevron: 115 x 690 x 2.5mm Herringbone: 152.4 x 762 x 2.5mm 5mm XL Plank: 228.6 x 1525 x 5mm
Wear Layer:	2.5mm XL Plank: 0.55mm Chevron: 0.55mm Herringbone: 0.55mm 5mm XL Plank: 0.50mm
Locking System:	5G
Nesting:	16% = 2 Short Planks
Bevel:	Micro Bevel 4 Sided
VOC:	Gold
Environmental:	FSC® Certified
Finish:	Bona Natural UV Lacquer
Treatment:	Duraspect™ Polymer Finish
Pieces per Carton:	2.5mm Plank: 10 Chevron: 36 Herringbone: 24 5mm Plank: 4
M² Per Carton:	2.5mm Plank: 3.48 Chevron: 2.86 Herringbone: 2.79 5mm Plank: 1.39



Jacobsen[®]

0800 800 460 | jacobsen.co.nz

This brochure is printed on FSC accredited and sustainably sourced paper.